



Benezyme
P R O F E S S I O N A L

LPT HAIR MASK

Unique Variations Sdn Bhd


Copyright © 2019 Unique Variations Sdn Bhd. All rights reserved.

Part

01

>>Features

产品特点



- ❖ Highly concentrated Keratin treatment
高度浓缩角蛋白护理治疗
- ❖ Natural ingredients for hair and scalp
天然成分提炼，对头发和头皮有护理治疗的作用
- ❖ Hydrolyzed collagen
水解胶原蛋白
- ❖ PH balancing
PH平衡
- ❖ Various application in professional treatments
用于在☒☒护理治☒

Efficacy 功效

- Repairing damage(cortex & cuticle)
修复受损(发质内层和发表皮层)
- Vivid color 活现色彩
- Elastic curl 灵活卷曲
- Moisturisation 保湿作用


Part 02

>>ABOUT

关于



LPT HAIR MASK [LPP + PPT COMPLEX]



* Amino acid 氨基酸


18 of 20 types of amino acids in the hair 18到20种头发类型的氨基酸

e.g 5 types



* Protein 蛋白

Several hundreds to thousands of amino acids linked through peptide bonds
数百至数千的氨基酸通过肽键连接



* Protein Peptide 蛋白肽

Peptide with more than 50 amino acids

肽与超过50个氨基酸

Part 03

>> Natural ingredients for Hair and scalp 天然成分提炼



Green tea Extract

綠茶



Panthenol, vitamin E,
and vitamin C,
泛醇，维生素，
和维生素C，

Licorice Extract

甘草



Protein, Vitamin B complex,
potassium, phosphorus, amines
and essential oils
蛋白质，维生素B群
钾，磷，胺
和精油

Part 04

>> Hydrolyzed Collagen

水解胶原蛋白


>> About pH

关于pH值



❖ Hydrolyzed Collagen 水解胶原蛋白


Helps the hair keep more moisture and improves elasticity of the hair.
帮助头发保持更多的水分，改善头发的弹性。



❖ Hair and PH 头发pH值

Helps to neutralize alkali in the hair after chemical treatment and return its Ph level to its natural Ph level.

有助于化学处理后的头发中和碱性，并返回其自然pH值。



>> How to use 如何使用



Pre or Post Treatment 前置或后处理

Before or after the chemical treatments, towel dry after shampoo, apply LPT to damaged area and massage. Leave for 3 ~10 minutes and rinse it off with warm water. In order to get better result, apply heat (40~45 °C) after wearing a plastic cap and rinse thoroughly with warm water.

用于在之前或之后化学处理，洗发后用毛巾擦干，涂抹LPT Hair Mask在受损部分和 。留3~ 分钟，用温水洗净即可。为了得到更好的效果，盖上塑料帽后加热（40~45按摩，用温水彻底冲洗。 °C）



Application to hair dye 应用在染发剂

Use it as a post treatment to refill the matrix lost by hair dye and balance the PH level. For severely damaged hair, apply little amount onto the damaged area before hair dye. When repeated bleaching is required such as removing black dye or bleaching to high brightness, it helps to minimize damage on the hair if you mix 3~ g of LPT to the mixture of a bleaching agent and an oxidizing agent.

使用为后处理，有助于重新填充染发后丢失的基质，平衡PH值。

对于严重受损的头发，涂抹少量在受损部分在于染发剂之前。

当重复去除黑色素或漂白，混合3~5克LPT Hair Mask在漂白剂和混合物的氧化剂，它有助于减少对头发的刺激和损伤。



Application to hot perm 应用在热烫发

Prevent to lose the amino acids from the during perming process by applying **repeatedly** in the middle of perming process

反复应用LPT Hair Mask在烫发过程中，有效预防烫发过程中失去的氨基酸。

Apply LPT to damaged area and rinse it off

涂抹LPT Hair Mask在受损部分，用清水冲洗。

- After shampooing before application of a perming lotion

洗发后应用在烫发剂之前

- After softening and rinsing off the perming lotion

在软化或冲洗掉烫发剂之后涂抹使用

- After rinsing off the neutralizer


冲洗掉中和剂之后使用



Part 06

>> No harmful ingredients

不含有害成分




Part 07

>>Before & After



LPT application after hair dye
(22 July 2014, Ms Kim Jiyoung)



Before
之前

After
之后

x 600